

IN THE CLAIMS:

Please amend claims 1-5 and 7-26, and add claims 27-28 as follows. Please cancel claim 6 without prejudice or disclaimer.

1. (Currently Amended) A method, ~~in a communication system for communication of information during establishment of a communication session, the method comprising:~~

including floor status information of a data communication media in relation to a party of a communication session in a message carrying data communication media information for the communication session; and

sending the message from ~~the~~ a communication system to a user equipment; and generating the message in accordance with a session description protocol.

2. (Currently Amended) A method as claimed in claim 1, wherein the ~~step of~~ including of the floor status information comprises including the floor status information in an offer for the communication session.

3. (Currently Amended) A method as claimed in claim 2, further comprising: including an indication that a floor is taken in the offer.

4. (Currently Amended) A method as claimed claim 1, wherein the ~~step of~~ including of the floor status information comprises including the floor status information in an answer to an offer for the communication session.

5. (Currently Amended) A method as claimed in claim 4, further comprising: including an indication that a floor is granted in the answer.

6. (Cancelled)

7. (Currently Amended) A method as claimed in claim 1, further comprising: carrying the message in accordance with a session initiation protocol.

8. (Currently Amended) A method as claimed in claim 1, further comprising: ~~the step of~~ sending a request for a push-to-talk service session.

9. (Currently Amended) A method as claimed claim 1, further comprising: sending the message over an internet protocol multimedia subsystem.

10. (Currently Amended) A method as claimed in claim 1, further comprising: sending the message over a general packet radio service network.

11. (Currently Amended) A method as claimed in claim 1, further comprising:
providing the communication session ~~by means of~~ using a packet data protocol
context.

12. (Currently Amended) A method as claimed in claim 1, wherein the ~~step of~~
~~sending of~~ the message comprises sending a message from an application server
operatively connected to the communication system.

13. (Currently Amended) A method as claimed in claim 12, wherein the ~~step~~
~~of sending of~~ the message comprises sending a message from a push-to-talk over cellular
server.

14. (Currently Amended) ~~A computer program product comprising program~~
~~code means to execute steps when the program is run on a computer for communication~~
~~of information during establishment of a communication session, the steps comprising:~~ A
computer program readable medium encoded with instructions which perform the
following:

including floor status information of a data communication media in relation to a
party of a communication session in a message carrying data communication media
information for the communication session; and

sending the message from the a communication system to a user equipment; and

generating the message in accordance with a session description protocol.

15. (Currently Amended) A ~~communication system, to provide communication sessions, the communication system comprising:~~

a data network ~~for providing~~configured to provide data communication resources;
and

an application server ~~connected to~~configured to connect to the data communication network, wherein the application server ~~includes~~is configured to include floor status information of a data communication media in relation to a party of a communication session in a message carrying data communication media information for the communication session and to send the message to a user equipment via the data network; and

a generator configured to generate the message in accordance with a session description protocol.

16. (Currently Amended) A ~~communication system~~ as claimed in claim 15, wherein the application server comprises a push-to-talk service application server.

17. (Currently Amended) A ~~communication system~~ as claimed in claim 15, wherein the message correlates to a session description protocol.

18. (Currently Amended) A ~~communication system~~ as claimed in claim 15, wherein the communication system carries the message in accordance with a session initiation protocol.

19. (Currently Amended) A ~~communication system~~ as claimed in claim 15, further comprising: the communication system comprising
an internet protocol multimedia subsystem.

20. (Currently Amended) ~~An application server~~ An apparatus for provision of
~~data communication sessions, the application server,~~ comprising:

~~including means for including~~ an including unit configured to include floor status information of a data communication media in relation to a party of a communication session in a message carrying data communication media information for the communication session; and

~~sending means for sending~~ a sending unit configured to send the message to a user equipment via a data network; and

a generator configured to generate the message in accordance with a session description protocol.

21. (Currently Amended) ~~An application server~~ An apparatus as claimed in claim 20, further comprising:

a push-to-talk service application server.

22. (Currently Amended) ~~An application server~~ An apparatus as claimed in claim 20, further comprising:

a connecting means for connecting unit configured to connect to an internet protocol multimedia subsystem.

23. (Currently Amended) ~~An application server~~ An apparatus as claimed in claim 20, wherein the ~~application server~~ apparatus includes the floor status information in at least one of an offer for the communication session or an answer to the offer for the communication session.

24. (Currently Amended) ~~A communication system, for communication of information, the communication system comprising:~~

a node to ~~transmit/receive~~ transmit or receive a message describing a communication session, wherein the message carries data communication media information for the communication session and floor status information of a data communication media in relation to a party of the communication session; and

a generator configured to generate the message in accordance with a session description protocol.

25. (Currently Amended) A ~~communication system~~ as claimed in claim 24, wherein the message ~~comprises the message correlating~~is correlated to a session description protocol.

26. (Currently Amended) A ~~communication system, for communication of information for an establishment of a communication session, the communication system~~ comprising:

including means for including floor status information of a data communication media in relation to a party of a communication session in a message carrying data communication media information for the communication session; and

sending means for sending the message from ~~the~~ a communication system to a user equipment; and

generating means for generating the message in accordance with a session description protocol.

27. (New) A system, comprising:

data network means for providing data communication resources;

application server means for connecting to the data communication network, wherein the application server means includes floor status information of a data communication media in relation to a party of a communication session in a message

carrying data communication media information for the communication session and sends the message to a user equipment via the data network; and

generating means for generating the message in accordance with a session description protocol.

28. (New) An apparatus, comprising:

including means for including floor status information of a data communication media in relation to a party of a communication session in a message carrying data communication media information for the communication session;

sending means for sending the message to a user equipment via a data network; and

generating means for generating the message in accordance with a session description protocol.